

NU-VU

CONVECTION OVEN





PROJECT _____

ITEM NO. _____

NOTES _____

MODEL NUMBER: **RM - 5 T**



FEATURES

- Temperatures reaching 425°F (218°C)
- V-Air Fan Technology for Even Baking
- 2-Speed Fan
- Steam Vent
- Indicator Light for Thermostat
- Slam Cam Handle

CONSTRUCTION

- Dual Pane Door
- Stainless Steel Construction
- Fully Insulated
- 6" Adjustable Legs
- Left or Right-Hinged, Field Reversible Door
- Cool to Touch Full View Window

OPTIONS & ACCESSORIES

- Internal Steam
- Water Filter (recommended if using internal steam)
- Solid Door
- Cart w/ Panslides [98-0350-PS]
- Cart w/o Panslides [98-0350-NP]
- Stand w/ Panslides [98-0351-PS]
- Stand w/o Panslides [98-0351-NP]
- Stacking Kit
- Pass-Thru Option

CLEARANCES

- 4" [All Sides of Unit]

WARRANTY

- One Year Labor & Two Year Parts



Model	Crated Weight	Overall Dimensions			Interior Dimensions			Pan Capacity (18"x26")	Shelf Spacing
		W	D	H	W	D	H		
RM-5T	400 (182)	30" (762)	37 7/8" (962)	41 3/4" (1060)	18 3/4" (476)	29 3/4" (756)	22" (559)	5	4" (102)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION B | 7/13/2021

Follow Us



NU-VU

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.doyon.qc.ca






PROJECT _____

ITEM NO. _____

NOTES _____

MODEL NUMBER: **RM - 5 T**

DRAWINGS



ELECTRICAL SYSTEM

Model	Gas System			Water Inlet	Electrical System *ground wire not included						
	BTU	D.H.	G.I.		Volts	Phases	Amps	kW	Wires*	Hz	NEMA
RM-5T	-	-	-	1/4"	208	1/3	37/30	7	2/3	60	-
					240	1/3	32/26	7	2/3	60	

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION B | 7/13/2021

Follow Us



NU-VU

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.doyon.qc.ca

